

## BASIC IMAGERY **INTERPRETATION REPORT**

## NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER

## FAUSTOVO ROCKET ENGINE TEST FACILITY

25X1 STRATEGIC WEAPONS INDUSTRIAL FACILITIES USSR 25X1

25X1

TOP SECRE₹5X1

COPY NO 119

10 PAGES

25X1

25X1

INSTALLATION OR ACTIV	COUNTRY 25X1		
Faustovo Roc	eket Engine Test Facility	UR 25X1	
JTM COORDINATES	GEOGRAPHIC COORDINATES 55-27-40N 038-31-52E	CATEGORY	Z5X
MAP REFERENCE			
			on onem
	r Target Chart, Series 200, Sh	eet 0167-5, scale 1:200,000 (	SECRET)
	r Target Chart, Series 200, Sh	eet 0167-5, scale 1:200,000 (	SECRET)

## **ABSTRACT**

- 1. Faustovo Rocket Engine Test Facility is a diverse testing center consisting of four separate testing areas. These are the assembly and test area, static test pads, rocket sled track, and ballistics test ranges. Total operational roof cover for Faustovo is 60,946 square meters (743,460 square feet).
- 2. Faustovo has the apparent capability to conduct static and nonstatic tests of both solid propellant rocket motors and liquid propellant rocket engines. Additionally, support systems such as parachutes, ejector systems, guidance components, and non-rocket propelled munitions could be tested at Faustovo.
- 3. The presence of facilities to test both rocket motors and engines in one installation is unusual in the Soviet Union, where separate facilities have been developed for rocket motor and engine development and testing. The diverse types of testing capabilities available and the limited engineering space present suggest that the facility is not involved in basic research, but rather is tasked with the application of known technology to a particular field of weaponry.








FIGURE 1. LOCATION OF FAUSTOVO ROCKET ENGINE TEST FACILITY, USSR.

25X1	Approved For Release (2005) (RETCIA-RDP78T) 04563A00080 0010005-4	25X1
25X1	4. This report is based on photography and supersedes all previous NPIC reports on the subject facility. The report contains graphic presentations and textual discussion of all areas of the facility.	E co
	INTRODUCTION	
25X1 25X1	5. Faustovo Rocket Engine Test Facility is a diversified development and testing center situated in a flat and densely wooded area 15 nautical miles (nm) southeast of Ramenskoye and approximately 35 nm southeast of the center of Moscow (Figure 1). It has extensive testing capabilities and could, therefore, be functionally related to a large number of Moscow area aerospace facilities. Included among these are Ramenskoye Central Aerohydrodynamic Institute  Ramenskoye Flight Test Center (BE Moscow Space Research Facility Tomilino and Krasnoarmeysk Solid Motor Development Facility	25X1 25X1
	BASIC DESCRIPTION	
	6. Faustovo Rocket Engine Test Facility contains four separate areas which provide extensive testing capabilities. These areas are the assembly and test area, static test pads, ballistics test ranges, and rocket sled test track (Figure 2).	: : :
	7. Faustovo has the apparent capability to conduct tests of both solid propellant rocket motors, liquid propellant rocket engines, and conventional weaponry. The rocket sled test track provides a means for various types of testing including propulsion units; support systems, such as parachutes and ejector systems; guidance components, structural testing, and others.	
	8. Total operational roof cover for Faustovo is feet).	25X1
	Assembly and Test Area	
25X1 25X1 25X1	9. At least one, and possibly four, test structures are located in the assembly and test area (Figures 2 and 3). A horizontal test building (item 17, Figure 3) has been present since the facility was first observed in This building is of a design similar to horizontal test buildings at Ufa Rocket Engine Test Facility Izhevsk Rocket Engine/Components Test Facility and Nizhnyaya Salda Rocket Engine Test Facility The Faustovo test building probably has four test positions. A protective barricade is to the rear of the building, a feature seen only at Faustovo and Izhevsk. The horizontal test building probably is used to test relatively small liquid propellant rocket engines.	25X1
25X1 25X1	10. Also present since Faustovo was first observed is a probable horizontal rocket motor (solid propellant) test structure (item 47, Figure 3). This building compares closely in length with the firing portion of the type B test cell at Biysk Rocket Motor Test Facility  The Faustovo building is  The Biysk test cell measures  The identification of this building as a rocket motor test structure is further supported by the presence of a barricade north of the building, the primary access to the firing end of the building, and the presence of a building (item 46, Figure 3) which appears to serve as a control building.	25X1
	11. In 1964 construction began on a series of buildings connected by an extensive system of pipelines. The wide diameter of the pipelines and the numerous right-angle bends in the system indicate the system was designed to carry gaseous materials only.	
	12. At two terminal points of the pipeline system are blower houses (items 1 and 44, Figure 3). The interconnected series of buildings may include two structures: a possible components test building (item 42, Figure 3) and a possible cold flow or calibration test stand (item 11, Figure 3).	TOTAL AND A
	13. The possible components test building has two sections. Towers or stacks make up a narrow section traversing the width of the building along the western end. This narrow	
	(Continued p. 6)	
	- 2 - Approved For Release 2005/06/08 - CIA-RDP78T04563A000800010005-4	25X1 =










25X1

FIGURE 3. ASSEMBLY AND TEST AREA, FAUSTOVO ROCKET ENGINE TEST FACILITY.

25X1	Approved For Release 2005/05/05/10-RDP78 T04563A0008000 10005-4	<b>25X1</b>
25X1	section rises above the height of the other section. A pipeline enters the	
20/1	western end of the building. Another pipeline leaves the eastern end of the building and joins a pipeline which bypasses the components test building before entering a long narrow building (item 38, Figure 3).	
	14. The configuration of the components test building and the pipeline system suggest the function assigned to this building. However, buildings 36, 38, 41, and 42 (Figure 3) may constitute a propellant processing area, with item 42 serving as the primary processing building, and items 36 and 38 serving as final processing buildings or collection points. It is doubtful that any manufacturing of propellants would be accomplished here; the testing nature of the Faustovo installation makes it more likely that any propellant processing is of the blending and mixing nature.	٠
25X1 25X1	15. The pipeline system also enters the possible calibration test stand (item 11, Figure 3) in the northeastern corner of the assembly and test area. This stand consists of two sections,  A cylindrical object is mounted vertically on the western side of the taller section of the stand and extends from the bottom of the stand to a point above the taller section. The test stand is connected by a cable trough or elevated walkway to a possible control building. The apparent lack of a flame bucket and the proximity of support structures disqualify this structure for engine-firing testing.	25X1
	Static Test Pads	
<b>25X</b> 1 25X1	16. Three test pads (items 12-14, Figure 4) serve as platforms for static test firings. A protective barricade is southwest of each pad. A high level of activity has been consistently observed on and near the test pads. A test article, or test article and associated apparatus, long, was observed on the western pad (item 14, Figure 4) on	25X1
	Rocket Sled Test Track	
	17. The rocket sled test track is 2,505 meters The presence of a control building and a support area near the western end of the track indicates tests are run in a west to east direction.	25X1
25X1	18. Seven instrumentation positions are along the southern side of the track, extending from approximately to approximately feet) from the eastern end of the track. Several small buildings have been removed since mid-1967 from the track support area.	25X1
	Ballistics Test Ranges	
	19. The ballistics test ranges probably have 11 firing positions for weapons testing. A range of this type would be used to measure the velocity, pressures, and other data relating to various munitions. Evaluation of the weapons for which the munitions are designed might also be accomplished. A laboratory building (item 10, Figure 5) is south of the test ranges firing line. This building is of very heavy construction and may be used for internal ballistics testing.	
25X1	20. The length of the ranges varies from to Three positions (item 18, Figure 5) are on the The easternmost of the three positions has five instrumentation bunkers along the line from the firing position to the impact barricade.	<b>25X1</b> 25X1
	Support Areas	٠
	21. A housing area (Figures 2 and 4) for Faustovo personnel is in the southwestern corner of the facility. The area consists of eight large barracks buildings and 12 smaller units. Three of the small units were added between	25X1
	(Continued p. 9)	
	- 6 - Approved For Release 2905/05/25 թբեր RDP78T04563A000800010005-4	25X1



Approved FOF Release 2005/06/08 : CIA-RDP78T04563A000800010005-4 1 🗐 🗓 2 ROCKET SLED TEST TRACK BALLISTICS TEST AREA

FIGURE 5. BALLISTICS TEST AND ROCKET SLED TRACK AREAS, FAUSTOVO ROCKET ENGINE TEST FACILITY.

TOP SECRET


25**X**1

25X1

25X1

25X1

25X1



Approved For Release 20**16/98 (RETR**DP78T04563A000800010005-4

Approved For Release 12085/55/68 E LA-RDP78T04563A000800010005-4

25X1

25X1

25X1